




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50	B	REVISED PER ECR-16-001902	21MAR2016	BW JP




- 1 ACCEPTS RECEPTACLE CONTACTS AND WIRE RANGES:
- | PART NUMBER | WIRE RANGE  |
|-------------|---|
| 1217378     | 22 - 18 AWG   |
| 1217094     | 18 - 14 AWG OR A COMBINATION OF ( TWO #18'S )                               |
| 1217095     | 16 - 12 AWG OR A COMBINATION OF (TWO #18'S OR TWO #16'S OR AN #18 AND #16). |

- 2 HOUSING WIDTH MEASURED ACROSS CIRCUITS AT CENTERLINE DATUM [-A-].
- 3 PRELIMINARY - NOT FOR PRODUCTION



40.20 [1.583] REF



BLOCKED CIRCUIT POSITION  
SEE TABLE BELOW

6 & 7	BLUE	NONE	NONE	3 521796-4
3	BLUE	NONE	NONE	3 521796-3
2 & 3	BLUE	NONE	NONE	3 521796-2
NONE	BLUE	NONE	NONE	521796-1
BLOCKED POSITION #	COLOR	KEYING FEATURE	POLARIZATION FEATURE	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	R FLAIG	21FEB2005
CHK	R LONDON	21FEB2005
APVD	R LONDON	21FEB2005

TE Connectivity

HOUSING, RECEPT, POSITIVE-LOCK, MKIII, 6.35 [.250] SERIES, 8 POSITION

SIZE	A2	CAGE CODE	00779	DRAWING NO	C=521796	RESTRICTED TO	-
SCALE	4:1	SHEET	1 of 1	REV	B		

CUSTOMER DRAWING